

Durotech International, Inc.

Phone: 864 – 476 9393 / Fax: 864 – 476 9472

Spacer - Corner Key

Part No.	Dimension, metric / inch			Qty. per bag	Qty. per Box
	metric	fraction	Decimal		
C 456	4.5	3 / 16	.177	2,500	5,000
C 556	5.5	7 / 32	.216	2,500	5,000
C 606	6.0	15 / 64	.236	2,500	5,000
C 656	6.5	1 / 4	.255	2,500	5,000
C 716/726	7.2	9 / 32	.275	2,500	5,000
C 756	7.5	18 / 64	.295	2,500	5,000
C 806	8.0	5 / 16	.312	2,500	5,000
C 856/876	8.5	11 / 32	.334	2,500	5,000
C 906	9.0	23 / 64	.354	2,500	5,000
C 956	9.5	3 / 8	.374	2,500	5,000
C 1056	10.5	13 / 32	.413	2,500	5,000
C 1106	11.0	7 / 16	.433	2,500	5,000
C 1156	11.5	29 / 64	.452	2,500	5,000
C 1206	12.0	15 / 32	.472	2,500	5,000
C 1256	12.5	1 / 2	.500	2,500	5,000
C 1326	13.2	33 / 64	.519	2,500	5,000
C 1356	13.5	17 / 32	.531	2,500	5,000
C 1386	13.8	35 / 64	.543	2,500	5,000
C 1436/1456	14.3	9 / 16	.562	2,500	5,000
C 1506	15.0	19 / 32	.593	2,500	5,000
C 1556	15.5	39 / 64	.609	2,500	5,000
C 1586	15.8	5 / 8	.622	2,500	5,000
C 1626	16.2	41 / 64	.640	2,500	5,000
C 1706	17.0	43 / 64	.671	2,500	2,500
C 1756	17.5	11 / 16	.688	2,500	2,500
C 1856	18.3	47 / 64	.728	2,500	2,500
C 1906	19.0	3 / 4	.748	2,500	2,500
C 2156	21.5	27 / 32	.846	2,500	2,500

Durotech International, Inc.

Phone: 864 – 476 9393 / Fax: 864 – 476 9472

Spacer – Gas Fill Corner Key with hole

Part No.	Dimension, metric / inch			Qty. per bag	Qty. per Box
	metric	fraction	decimal		
CG 656 DB /*	4.5	3 / 16	.177	2,500	5,000
CG 806 DB /*	5.5	7 / 32	.216	2,500	5,000
CG 906 DB /*	6.0	15 / 64	.236	2,500	5,000
CG 1056 DB /*	6.5	1 / 4	.255	2,500	5,000
CG 1106 DB /*	7.2	9 / 32	.275	2,500	5,000
CG 1206 DB /*	7.5	18 / 64	.295	2,500	5,000
CG 1256 DB /*	8.0	5 / 16	.312	2,500	2,500
CG 1356 DB /*	8.5	11 / 32	.334	2,500	2,500
CG 1456 DB /*	9.0	23 / 64	.354	2,500	2,500
CG 1506 DB /*	9.5	3 / 8	.374	2,500	2,500
CG 1586 DB /*	10.5	13 / 32	.413	2,500	2,500
CG 1756 DB /*	11.0	7 / 16	.433	2,500	2,500
CG 1906 DB /*	11.5	29 / 64	.452	2,500	2,500
CG 2156 DB /*	12.0	15 / 32	.472	2,500	2,500

Spacer – Gas Fill Corner Key without hole

Part No.	Dimension, metric / inch			Qty. per bag	Qty. per Box
	metric	fraction	decimal		
CG 656 OB /*	4.5	3 / 16	.177	2,500	5,000
CG 806 OB /*	5.5	7 / 32	.216	2,500	5,000
CG 906 OB /*	6.0	15 / 64	.236	2,500	5,000
CG 1056 OB /*	6.5	1 / 4	.255	2,500	5,000
CG 1106 OB /*	7.2	9 / 32	.275	2,500	5,000
CG 1206 OB /*	7.5	18 / 64	.295	2,500	5,000
CG 1256 OB /*	8.0	5 / 16	.312	2,500	2,500
CG 1356 OB /*	8.5	11 / 32	.334	2,500	2,500
CG 1456 OB /*	9.0	23 / 64	.354	2,500	2,500
CG 1506 OB /*	9.5	3 / 8	.374	2,500	2,500
CG 1586 OB /*	10.5	13 / 32	.413	2,500	2,500
CG 1756 OB /*	11.0	7 / 16	.433	2,500	2,500
CG 1906 OB /*	11.5	29 / 64	.452	2,500	2,500
CG 2156 OB /*	12.0	15 / 32	.472	2,500	2,500

* apply color code.

Example: CG 1256 DB / C34 = gas fill corner key with bore / color – dark bronze

Without color code – parts made in light gray.

Color code: WHT-white, C34-dark bronze, BL-black, ALM-almond.

Custom color made on request.

Durotech International, Inc.

Phone: 864 – 476 9393 / Fax: 864 – 476 9472

Signal Plugs

GP 4 RI soft	Signal plug 4mm with ring (Santoprene), color: red
GP 4 RI hard	Signal plug 4mm with ring (Nylon), color: red
GP 5 RI	Signal plug 5mm with ring (Nylon), color: red
GP 3 RH	Signal plug 3mm round head (Nylon), color: red
GP 4 RH	Signal plug 4mm round head (Nylon), color: red
GP 5 RH	Signal plug 5mm round head (Nylon), color: red
GP 3 FH	Signal plug 3mm flat head (Nylon), color: red
	Signal plug maybe made to your choice of color.

Plugs for Gas Fill Corner Keys

GP 3 BF *	Gas plug (3mm) with break of tab (Nylon 6 – 33-% glass)
GP 5 BF *	Gas plug (5mm) with break of tab (Nylon 6 – 33% glass)

* Plugs for Gas fill Corner Keys can be made to match the color of the gas fill corner key.
If ordering, please use the same color code as for the gas fill corner keys.

Spacer – Corner Flex Key

Part No.	Dimension, metric / inch			Min. Quantity
	metric	fraction	decimal	
CS 656 Flex	6.5	1 / 4	0.200	2,500
CS756 Flex	7.5	18 / 64	.295	2,500
CS 956 Flex	9.5	3 / 8	.374	2,500
CS 1056 Flex	10.5	13 / 32	0.377	2,500
CS 1256 Flex	12.5	1 / 2	0.452	2,500
CS 1436 Flex	14.3	9 / 16	.562	2,500
CS 1556 Flex	15.5	39 / 64	.609	2,500
CS 1856 Flex	18.5	47 / 64	.728	2,500
CS 1906 Flex	19.0	29 / 64	.452	2,500

Durotech International, Inc.

Phone: 864 – 476 9393 / Fax: 864 – 476 9472

Spacer – Straight Connector

Part No.	Dimension, metric / inch			Qty. per bag	Qty. per Box
	metric	fraction	decimal		
STC 556	5.5	7 / 32	0.216	2,500	5,000
STC 606	6.0	15 / 64	0.222	2,500	5,000
STC 656	6.5	1 / 4	0.242	2,500	5,000
STC 806	8.0	1 / 8	0.301	2,500	5,000
STC 856	8.7	11 / 32	0.335	2,500	5,000
STC 956	9.5	3 / 8	0.360	2,500	5,000
STC 1106	11.0	7 / 16	0.419	2,500	5,000
STC 1206	12.0	15 / 32	0.458	2,500	5,000
STC 1256	12.5	1 / 2	0.478	2,500	5,000
STC 1356	13.5	17 / 32	0.517	2,500	5,000
STC1406	14.0	35 / 64	0.537	2,500	5,000
STC 1456	14.3	18 / 32	0.549	2,500	5,000
STC 1506	15.0	15 / 64	0.576	2,500	5,000
STC 1586	15.8	5 / 8	0.608	2,500	5,000
STC 1756	17.5	11 / 16	0.675	2,500	2,500
STC 1906	19.0	3 / 4	0.655	2,500	2,500

Specifications:

Corner Keys made with Nylon 6 (PA 6).

Straight connectors made with Polycarbonate.